



कर्मचारी राज्य बीमा निगम
(श्रम एवं रोज़गार मंत्रालय, भारत सरकार)
EMPLOYEES' STATE INSURANCE CORPORATION
(Ministry of Labour & Employment, Govt. of India)



मुख्यालय/HEADQUARTERS
पंचदीप भवन, सी.आई.जी. मार्ग, नई दिल्ली -110 002
Panchdeep Bhawan, C.I.G. Marg, New Delhi-110002
www.esic.gov.in, ☎011-23604773, ✉dmcrc@esic.nic.in

File No.: U-25/12/NSQ/2021-MedV (E-1119)/94 Dated:- 23-03-2026

To,

Director (Medical) Delhi / Director (Medical) Noida,
Dean, All ESIC PGIMSR's, Medical & Dental Colleges
Medical Superintendents – All ESIC Hospitals,
Directors, ESI Scheme, All States

NSQ-06/2026

Subject: **Declaration of Drug "Not of Standard Quality" on Testing – reg**

Sir/Madam

It is hereby informed that the Drug/item has been reported as "Not of Standard Quality". The details of the drug reported NSQ is given below:

Sample taken Premises	Name of the Firm (M/s)	Item Name/ Brand Name	RC No/ Item No/ Page No	Batch No./ DOM/ DOE	Name of the Laboratory/ Report No. & Date	Reason of NSQ
ESIC MC & Hospital Jaipur	G.M.H. Laboratories	Paracetamol Syp/Susp- Each 5ml to contain: Paracetamol 250mg	142C 2264	GMK- 240006 05-2024 04-2026	PMBI Empanelled Testing Laboratory, Shree Balaji Test Lab Pvt. Ltd Address:- C181, Industrial Area Phase I, Block C, Naraina Industrial Area Phase 1, Naraina, New Delhi-110028 SBTLF-291125041 Dated:	Amber coloured bottles containing Discolouration out of 12 bottles received, two bottles are found having pink coloured suspension while other 10 bottles are found having brown coloured suspension. (Form-39A, copy enclosed).

05/03/2026

In context to above, it is directed to:

1. Medical Store to immediately withdrawn stock from respective sub-stores/Dispensaries/patient care area.
2. Medical Store to immediately write a letter to vendor for replacement of stock with another batch, within 15 days or to pick up stock and return the payment made other process of risk purchase to be initiated and recover cost of testing (if any) from the vendor.
3. Stop use of the batch of the above-mentioned item immediately which has been reported as "Not of Standard Quality".
4. Initiate action as per relevant clause of Terms & Conditions of respective DG-ESIC Tender Enquiry/RC.
5. Maintained record of action taken at in respective user units.

This issues with the approval of Medical Commissioner (Procurement).

Enclosures: As above

Commissioner

Yours Sincerely,

Digitally signed by
Sanjiv Kochhar

Date: 25-03-2026
13:44:45 Dy. Medical

(Rate Contract)

Copy to:

1. The Drug Controller General of India, CDSCO, CIG Road, New Delhi- 110002 (Email: dci@nic.in).
2. Office of Deputy Drug Controller (I), Central Drugs Standard Control Organisation Baddi, (Container Corporation of India Ltd. Complex) Village- Sheetalpur, Tehsil-Baddi, District- Solan, Himachal Pradesh-173205 (Email: chandigarh@cdsco.nic.in)
3. G.M.H Laboratories, Plot No. 13, Industrial Township, Baddi, Himachal Pradesh, Email: info@gmhlaboratories.com
4. Website Content Manager with request for uploading on ESIC website.
5. Guard file